

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care

PROTOCOL CODE: GOCXCAT

Page 1 of 1

DOCTOR'S ORDERS Htcm Wtkg BSA	m²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form	
DATE: To be given: Cycle #:	
Date of Previous Cycle:	
☐ Delay treatment week(s)	
☐ CBC & Diff, Platelets day of treatment	
May proceed with doses as written if within 96 hours ANC greater than or equal to 1.0 x 10 ⁹ /L, Platelets greater than	
or equal to 100 x 10 ⁹ /L	
Dose modification for: Hematology Other Toxicity	
Proceed with treatment based on blood work from	
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm	•
45 minutes prior to PACLitaxel:	
dexamethasone 20 mg IV in 50 mL NS over 15 minutes	
30 minutes prior to PACLitaxel: dishanbude AMINE 50 mg IV in NS 50 mL over 15 minutes and femotidine 20 mg IV in NS 100 mL over 15 minutes	
diphenhydrAMINE 50 mg IV in NS 50 mL over 15 minutes and famotidine 20 mg IV in NS 100 mL over 15 minutes (Y-site compatible)	
AND select ondansetron 8 mg PO 30 to 60 minutes prior to CARBOplatin	
ONE of the aprepitant 125 mg PO 30 to 60 minutes prior to CARBOplatin, and	
following: ondansetron 8 mg PO 30 to 60 minutes prior to CARBOplatin	
netupitant-palonosetron 300 mg-0.5 mg PO 30 to 60 minutes prior to CARE	30nlatin
If additional antiemetic required:	
□ OLANZapine □ 2.5 mg or □ 5 mg or □ 10 mg (select one) PO 30 to 60 minutes prior to CARBOplatin	
Other:	
Have Hypersensitivity Reaction Tray and Protocol Available	
CHEMOTHERAPY:	
PACLitaxel	
☐ Dose Modification:% = mg/m² x BSA = mg	9
IV in 250 to 500 mL (non-DEHP bag) NS over 3 hours. (Use Non DEHP tubing with 0.2 micron in	n-line filter)
CARBOplatin AUC 6 or 5 (select one) x (GFR + 25) x = mg	
☐ Dose Modification:% = mg IV in 100 to 250 mL NS over 30 minutes	
RETURN APPOINTMENT ORDERS	
Return in three weeks, or four weeks for Doctor and Cycle	
Last Treatment. Return in week(s).	
CBC & Diff, Platelets on ☐ Day 14 ☐ Day 21 (in Cycle 1 and if a dose change is made) CBC & Diff, Platelets, Creatinine prior to next cycle.	
Prior to next cycle, if clinically indicated: Bilirubin Alk Phos GGT ALT	
☐ LDH ☐ Tot Prot ☐ Albumin ☐ CA 15-3 ☐ CA 125 ☐ CA 19-9	
☐ Other tests: ☐ CEA ☐ SCC ☐ Consults:	
☐ See general orders sheet for additional requests.	
DOCTOR'S SIGNATURE:	SIGNATURE:
	UC: