

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca/terms-of-use and according to acceptable standards of care.

PROTOCOL CODE: LYGDP

Page 1 of 2

DOCTOR'S ORDER	RS Ht	cm Wt	kg BSA	m²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form				
DATE:	To be given:		Cycle #:	of
Date of Previous Cycle:				
☐ Delay treatment we ☐ CBC & Diff, platelets day	1 of treatment	ANO		409//
Day 1: May proceed with doses as written, if within 48 hours ANC greater than or equal to 1.0 x 10 ⁹ /L, platelets greater than or equal to 75 x 10 ⁹ /L, creatinine clearance greater than or equal to 60 mL/minute (if using CISplatin).				
Day 8: May proceed with doses than or equal to 75 x 109/L	·-		•	
For split dose CISplatin only: Day 1: May proceed with doses as written, if within 48 hours ANC greater than or equal to 1.0 x 10°/L, platelets greater than or equal to 75 x 10°/L, creatinine clearance greater than or equal to 45 mL/minute. Day 8: May proceed with doses as written, if within 48 hours ANC greater than or equal to 1.0 x 10°/L, platelets greater				
than or equal to 75 x 10 ⁹ /L, creatinine clearance greater than or equal to 45 mL/minute.				
Dose modification for:				
Proceed with treatment base	d on blood work from			
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm				
DAY 1 (and DAY 8 if split dose CISplatin being given)				
dexamethasone 8 mg or 12 mg (select one) PO 30 to 60 minutes prior to treatment on Day 1 (and Day 8)				
AND select ONE of the aprepitant 125 mg PO 30 to 60 minutes prior to treatment, and ondansetron 8 mg PO 30 to 60 minutes prior to treatment				
following: netupitant-palonosetron 300 mg-0.5 mg PO 30 to 60 minutes prior to treatment ondansetron 8 mg PO 30 to 60 minutes prior to treatment				
DAY 8 (unless split dose CISplatin being given)				
prochlorperazine 10 mg PO p ☐ Other:	orior to treatment.			
PRE-HYDRATION:				
1000 mL NS IV over 1 hour prior to CISplatin on Day 1 (and Day 8 if split dose CISplatin given)				
DOCTOR'S SIGNATURE:		SIGNAT	URE:	
			UC:	



Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca/terms-of-use and according to acceptable standards of care.

PROTOCOL CODE: LYGDP

Page 2 of 2

DOCTOR'S ORDERS				
DATE:				
CHEMOTHERAPY:				
dexamethasone 40 mg PO daily in AM on Days 1 to 4.				
gemcitabine 1000 mg/m² x BSA =mg Dose Modification:% =mg/m² x BSA =mg IV in 250 mL NS over 30 minutes on Day 1 and 8.				
CISplatin 75 mg/m² x BSA =mg Dose Modification:% =mg/m² x BSA =mg IV with 20 mEq potassium chloride, 1g magnesium sulfate, and 30 g mannitol in 500 mL NS OR (only split CISplatin day 1 and 8 if creatinine clearance on day 1 less than 60 mL/min)	S over 1 hour on Day 1 only.			
CISplatin 37.5 mg/m² x BSA =mg ☐ Dose Modification:% =mg/m² x BSA =mg IV with 20 mEq potassium chloride, 1g magnesium sulfate, and 30 g mannitol in 500 mL NS OR	S over 1 hour on Day 1 and 8 .			
CARBOplatin AUC 5 x (GFR + 25) = mg (maximum 800mg) Dose Modification: % = mg IV in 100 to 250 mL NS over 30 minutes on Day 1 only				
gemcitabine 1000 mg/m² x BSA =mg Dose Modification:% =mg/m² x BSA =mg IV in 250 mL NS over 30 minutes on Day 8. CISplatin 37.5 mg/m² x BSA =mg Dose Modification:% =mg/m² x BSA =mg IV with 20 mEq potassium chloride, 1g magnesium sulfate, and 30 g mannitol in 500 mL NS	s over 1 hour on Day 8 .			
RETURN APPOINTMENT ORDERS				
☐ Return in three weeks for Doctor and Cycle Book chemo on Day 1 and Day 8.☐ Last Cycle. Return in week(s).				
CBC & Diff, platelets, creatinine prior to each cycle CBC & Diff, platelets on Day 8 Creatinine on Day 8 if split dose CISplatin ordered Other tests: Consults: See general orders sheet for additional requests.				
DOCTOR'S SIGNATURE:	SIGNATURE: UC:			
	· · · · · · · · · · · · · · · · · · ·			