

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care

PROTOCOL CODE: GIAVCRT

(Page 1 of 1)

DOCTOR'S ORDERS	Ht	cm	Wt	kg	BSA	m²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form						
DATE: To be	To be given:		Cycle #	•		
Date of Previous Cycle:						
 □ Delay treatment week(s) □ CBC & diff, platelets, creatinine day of treatment May proceed with doses as written if within 96 hours ANC greater than or equal to 1.5 x 109/L, Platelets greater than or equal to 75 x 109/L, and Creatinine Clearance greater than or equal to 50 mL/minute 						
Dose modification for:	☐ Other	Toxicity: _				
Proceed with treatment based on blood work from						
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm						
CHEMOTHERAPY – Concomitant with RT (dual modality): capecitabine 825 mg/m² or x BSA x (%) = mg PO BID (refer to <u>Capecitabine Suggested Tablet Combination Table</u> for dose rounding). The second dose should be taken 10-12 hours after the first dose. To be dispensed in appropriate weekly intervals Monday to Friday, with Saturday, Sunday and statutory holidays off, beginning on the first day of Radiation Therapy and ending on the last day of RT.						
RETURN APPOINTMENT ORDERS						
☐ Return in weeks for Doctor assess ☐ Last Cycle. Return in week(s)	sment during	RT				
CBC & diff, platelets, creatinine weekly during	radiation the	rapy				
 □ INR weekly □ Other tests: □ Weekly Nursing Assessment for (specify □ See general orders sheet for additional restrictions. 	, ——					
DOCTOR'S SIGNATURE:				s	IGNAT	JRE:
				Lu	ic:	