

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care

PROTOCOL CODE: GIFFOXPAN

(Page 1 of 2)

| DOCTOR'S ORDERS | Ht | cm | Wt | kg l | BSA | m² | |
|---|--------------------|----|----------|----------------|----------------|------|--|
| REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form | | | | | | | |
| DATE: 1 | To be given: | | | Cycle(s | s) #: | | |
| Date of Previous Cycle: | | | | | | | |
| Delay treatment week(s) CBC & Diff, Platelets day of treatment May proceed with doses as written if within 72 hours ANC greater than or equal to 1.2 x 10°/L, Platelets greater than or equal to 75 x 10°/L Dose modification for: Hematology Other Toxicity Proceed with treatment based on blood work from | | | | | | | |
| PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm ondansetron 8 mg PO prior to treatment dexamethasone ☐ 8 mg or ☐ 12 mg (select one) PO prior to treatment NO ice chips ☐ Other: | | | | | | | |
| magnesium sulfate 2 g in 50 mL NS | | | | | | | |
| magnesium sulfate 5 g in 100 mL NS | | | | | _ | | |
| • • | ensitivity Reactio | | na Prote | ocoi Availabie | 9^^ | | |
| CHEMOTHERAPY: (Note – continued over 2 pages) ☐ Repeat in two weeks ☐ Repeat in two and in four weeks PANitumumab 6 mg/kg x kg = mg ☐ Dose Modification:mg/kg x kg =mg IV in 100 mL NS over 1 hour. If tolerated, administer over 30 minutes in subsequent cycles. Use 0.2 micron in-line filter. Flush lines with 25 mL NS pre and post PANitumumab infusion. | | | | | | | |
| Prior to starting oxaliplatin, flush lines | with D5W | | | | | | |
| oxaliplatin 85 mg/m² x BSA = mg ☐ Dose Modification: mg/m² x BSA = mg IV in 250 to 500 mL D5W over 2 hours* | | | | | | | |
| ☐ leucovorin 400 mg/m² x BSA = mg IV in 250 mL D5W over 2 hours* * oxaliplatin and leucovorin may be infused over same two hour period by using a Y-site connector placed immediately before the injection site. | | | | | | | |
| OR | | | | | | | |
| ☐ leucovorin 20 mg/m² x BSA = mg IV push *** SEE PAGE 2 FOR FLUOROURACIL CHEMOTHERAPY *** | | | | | | | |
| DOCTOR'S SIGNATURE: | | | | | SIGNATU UC: | IRE: | |



Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care

PROTOCOL CODE: GIFFOXPAN

(Page 2 of 2)

| DATE: | | | | | | |
|--------------------------------|--|----------------------------------|-----------------------|------------------------|--|--|
| CHEMOTHERAPY: (Continued) | | | | | | |
| fluo | fluorouracil 400 mg/m² x BSA = mg | | | | | |
| | Dose Modification: | | | | | |
| IV | push | | | | | |
| fluo | rouracil 2400 mg/m² x BSA | \ = ma** | | | | |
| | fluorouracil 2400 mg/m² x BSA = mg** | | | | | |
| | ☐ Dose Modification:mg/m² x BSA =mg** IV over 46 hours in D5W to a total volume of 230 mL by continuous infusion at 5 mL/h via Baxter LV5 INFUSOR | | | | | |
| | | lect INFUSOR per dose range belo | | | | |
| | ared as ordered): | lect IN 030K per dose range beit | ow (doses outside dos | se ballully larige are | | |
| | | | | | | |
| | Dose Banding Range | Dose Band INFUSOR (mg) | Pharmacist I | nitial and Date | | |
| | Less than 3000 mg | Pharmacy to mix specific dose | | | | |
| | 3000 to 3400 mg | 3200 mg | | | | |
| | 3401 to 3800 mg | 3600 mg | | | | |
| | 3801 to 4200 mg | 4000 mg | | | | |
| | 4201 to 4600 mg | 4400 mg | | | | |
| | 4601 to 5000 mg | 4800 mg | | | | |
| | 5001 to 5500 mg | 5250 mg | | | | |
| | Greater than 5500 mg | Pharmacy to mix specific dose | | | | |
| | | | | | | |
| | | RETURN APPOINTMEN | T ORDERS | | | |
| | Return in <u>two</u> weeks for Doct | tor and Cycle | | | | |
| ☐ F | Return in <u>four</u> weeks for Doo | | | | | |
| ☐ F | Return in <u>six</u> weeks for Docto | | | | | |
| Last Cycle. Return in week(s). | | | | | | |
| prior | to each cycle NR weekly INR prior to ECG CEA Other tests: Book for PICC assessment Book for IVAD insertion pe Weekly Nursing Assessme Consults: | | | | | |
| DOCTOR'S SIGNATURE: | | | | SIGNATURE: | | |
| | | | | UC: | | |
| | | | | : | | |