

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca/terms-of-use and according to acceptable standards of care.

PROTOCOL CODE: GIPGEM

Page 1 of 1

| DOCTOR'S ORDERS | Ht | cm | Wt | kg | BSA | m² |
|--|------------------|------------|------------|---------|--------|------|
| REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form | | | | | | |
| DATE: To | be given: | | | Cycle/W | eek #: | |
| Date of Previous Cycle: | | | | | | |
| □ Delay treatment week(s) □ CBC & Diff, Platelets day of treatment May proceed with doses as written if within 48 hours ANC greater than 1.0 x 10 ⁹ /L, Platelets greater than 100 x 10 ⁹ /L Dose modification for: □ Hematology □ Other Toxicity Proceed with treatment based on blood work from | | | | | | |
| PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm | | | | | | |
| prochlorperazine 10 mg PO or metoclopramide 10 mg PO prior to treatment | | | | | | |
| ☐ Other: | | | | | | |
| CHEMOTHERAPY: | | | | | | |
| gemcitabine 1000 mg/m² x BSA = | mg | | | | | |
| ☐ Dose Modification: % = | mg/m² x B | SA = | 1 | mg | | |
| IV in 250 mL NS over 30 minutes weekly | - | | | J | | |
| DOSE MODIFICATION IF REQUIRED ON SUBSEQUENT DAYS: | | | | | | |
| gemcitabine 1000 mg/m² x BSA = | mg | | | | | |
| ☐ Dose Modification:% = | | SA = | | mg | | |
| IV in 250 mL NS over 30 minutes on days | | | | | | |
| RETURN APPOINTMENT ORDERS | | | | | | |
| ☐ Return in <u>four</u> weeks for Doctor and Cyc | le . Book o | chemo on w | /eeks 1, 2 | 2 and 3 | | |
| Last Cycle. Return in week(s | | | | | | |
| CBC & Diff, Platelets prior to each treatment of clinically indicated: | nt Creatinine | | | | | |
| DOCTOR'S SIGNATURE: | | | | | SIGNAT | URE: |
| | | | | - 1, | JC: | |