

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca/terms-of-use and according to acceptable standards of care.

PROTOCOL CODE: LUSCDURPE

Page 1 of 2

DOCTOR'S ORDERS	Ht	cm	Wt	k	g	BSA		m²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form								
DATE: To be given: Cycle #:								
Date of Previous Cycle:								
☐ Delay treatment week(s)☐ CBC & Diff, Platelets day of treatment	ent							
May proceed with doses as written on Day 1 if within 96 hours ANC greater than or equal to 1.5 x 10°/L, Platelets greater than or equal to 100 x 10°/L, Creatinine Clearance greater than or equal to 60 mL/minute (if using CISplatin), ALT less than or equal to 3 times the upper limit of normal, bilirubin less than or equal to 1.5 times the upper limit of normal, creatinine less than or equal to 1.5 times the upper limit of normal and less than or equal to 1.5 times baseline. Dose modification for: Hematology Other Toxicity Proceed with treatment based on blood work from								
PREMEDICATIONS: Patient to take	own supply. RN/P	harma	cist to co	nfirm				·
Cycles 1 to 4: ondansetron 8 mg PO prior to treatment dexamethasone ☐ 8 mg or ☐ 12 mg (☐ aprepitant 125 mg PO 30 to 60 minut If additional antiemetic required: ☐ OLANZapine ☐ 2.5 mg or ☐ 5 mg ☐ hydrocortisone 100 mg IV prior to e ☐ diphenhydrAMINE 50 mg IV prior to	(select one) PO prutes prior to treatmor 10 mg (selectoposide	ent on	Day 1; th	nen 80 m g) PC	O daily or	•	
For prior durvalumab infusion reaction: diphenhydrAMINE 50 mg PO 30 minute acetaminophen 325 to 975 mg PO 30 minute Other:	30 minutes prior to	treatn	nent					
Have Hyp	ersensitivity Rea	ction 1	ray and	Protocol	Ava	ailable		
CHEMOTHERAPY: ☐ CYCLES 1 to 4: durvalumab 20 mg/kg xkg = _ IV in 100 mL NS over 60 minutes usin			•	l only				
CISplatin 25 mg/m²/day x BSA =% =	= mg/m²	² x BSA	\ =	n	ng			
OR CARBOplatin AUC 5 x (GFR + 25) =	mg IV	in 100) to 250 n	nL NS ove	er 30	0 minutes	s Day 1	only
etoposide 100 mg/m²/day x BSA = mg Dose Modification:mg/m² x BSA =mg IV in 250 to 1000 mL (non-DEHP bag) NS over 45 minutes to 1 hour 30 minutes x 3 days (use non-DEHP tubing with 0.2 micron in-line filter*)								
* Use separate infusion line and filter for	=							
SEE PAGE 2 FOR CHEMOTHERAPY CYCLES 5 ONWARDS								
DOCTOR'S SIGNATURE:								SIGNATURE: UC:



Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca/terms-of-use and according to acceptable standards of care.

PROTOCOL CODE: LUSCDURPE

Page 2 of 2

DOCTOR'S ORDERS				
DATE:				
CHEMOTHERAPY: (continued) ***SEE PAGE 1 FOR CHEMOTHERAPY CYCLES 1 to 4*** OR CYCLE 5 onwards: durvalumab 20 mg/kg xkg = mg (max. 1500 mg) every 4 weeks IV in 100 mL NS over 60 minutes using a 0.2 micron in-line filter				
17 III 100 IIIE 140 0701 00 IIIIIIdees desiig a 0.2 IIIIofoff III-IIIIe IIIdei				
STANDING ORDER FOR ETOPOSIDE TOXICITY: hydrocortisone 100 mg IV prn / diphenhydrAMINE 50 mg IV prn				
RETURN APPOINTMENT ORDERS				
Return in three weeks for Doctor and Cycle Book chemo x 3 days for cycles 1 to 4. Return in three weeks for Doctor and Cycle 5. Book chemo on day 1 for cycle 5 onwards. Return in four weeks for Doctor and Cycle Book chemo on day 1. Last Cycle. Return in week(s).				
CBC and diff, platelets, creatinine, alkaline phosphatase, ALT, total bilirubin, LDH, sodium, potassium, TSH prior to each cycle If clinically indicated:				
DOCTOR'S SIGNATURE:	SIGNATURE: UC:			