

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca/terms-of-use and according to acceptable standards of care.

PROTOCOL CODE: GUBEP (Inpatient)

Vancouver Cancer Center

Page 1 of 2

DOCTOR'S ORDERS	Ht	cm Wt	kg BSA	m²				
ALLERGY/ALERT: Reminder to Physicians:			–					
Please ensure drug allergies and previous bleomycin is documented on the Allergy and Alert Form.								
Date:	te: Cycle #: /							
ON ADMISSION:								
DAT, AAT								
CBC & Diff, creatinine, sodium, potassium, calcium, mag			alkaline					
phosphatase, LDH, CEA, AFP, beta hCG tumour marker, random glucose								
 Pulmonary function tests as baseline before or during 1st Heparin lock IV PRN daily 	treatment							
No Treatment Delay or Dose Reduction permitted for cou Proceed with treatment based on blood work from	ints							
	te (if ANC	on Day 1 less th	an 1 0 v					
Repeat on Day 5 (except on cycle 1): CBC & Diff, Platelets (if ANC on Day 1 less than 1.0 x 10 ⁹ /L)								
Call MD if Day 5 ANC less than 1.0 x 10 ⁹ /L or if neutropenic t	ever							
PREMEDICATIONS:	0 7 01							
dexamethasone 8 or 12 mg (circle one) PO prechemotherap	v and 4 m o	PO in the evenir	ng on Dav					
1 then 4 mg PO BID on Days 2 to 5	y and init	j . • • • • •	.g o 2 u j					
ondansetron 8 mg PO prechemotherapy on Days 1 to 5								
aprepitant 125 mg PO pre-chemotherapy on Day 1 and 80	mg PO one	ce daily in the						
morning on Days 2 and 3								
hydrocortisone 100 mg IV prior to bleomycin	. al A BAIRIE	FOrmer 1) / marie at to						
□hydrocortisone 100 mg IV prior to etoposide □ diphenh	arawine	50mg iv prior to	etoposide					
PRN ORDERS:								
prochlorperazine 10 mg PO q4h PRN lorazepam 1 to 2 mg SL or PO q4h PRN								
acetaminophen 325 mg 1 to 2 tabs PO q4h PRN								
diphenhydrAMINE 25 to 50 mg PO/IV q4h PRN								
Have Hypersensitivity Reaction Tray a	nd Protoco	l Available						
PRE-HYDRATION:								
1000 mL NS with 20 mEq potassium chloride and 2 g magne	sium sulfa	te over 1 hour pri	or to					
CISplatin on Days 1 to 5								
CHEMOTHERAPY:								
bleomycin = units (dose is 30 units)* IV in	50 mL NS	over 10 minutes	on Day 1					
*Bleomycin will need to be filled in with suggested dosing. Any dos	e modificatio	ons can result in inf	erior					
outcomes.								
CISplatin 20 mg/m²/day x BSA = mg								
CISplatin 20 mg/m²/day x BSA = mg ☐Dose modification (%) =mg/ m²/day	x BSA =	mg						
IV in 100 mL NS over 30 minutes on Days 1 to 5								
etoposide 100 mg/m²/day x BSA = mg								
Dose modification (%) = mg/ m²/day	x BSA =	mg						
IV in 500 mL NS (non-DEHP bag) over 45 minutes (use nor			on in-line					
filter) on Days 1 to 5								
DOCTOR'S SIGNATURE				Signatures				
				UC:				
				RN:				



Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca/terms-of-use and according to acceptable standards of care.

PROTOCOL CODE: GUBEP (Inpatient)

Vancouver Cancer Center

Page 2 of 2

DOCTOR'S ORDERS	Ht	cm	Wt	kg	BSAm²
ALLERGY/ALERT: Reminder to Physicians: Please bleomycin is documented on the Allergy and Alert Form.		ıg allergi	es and pi	revious	
Date:		Cycle	e#: /	1	
Call MD if uncontrolled nausea or vomiting.		-			
POST-HYDRATION:					
500 mL NS over 30 minutes to 1 hour post chemotherapy	on Days	1 to 4			
☐Continue IV hydration of NS at 100 mL/hr IV (until nex	kt day ther	apy begii	ns) on Da	y 1 to 4	
1000 mL NS over 1 hour post chemotherapy on Day 5					
AMBULATORY CHEMOTHERAPY (Day 8 and 15)					
Day 8 and 15 creatinine to be called to MD if greater than	the upper	limit of n	ormal		
hydrocortisone 100 mg IV prior to bleomycin					
bleomycin = units (dose is 30 units)*	IV in 50 m	L NS ove	r 10 min	on day 8	
and day 15	a Apydo	aa madifi	aatiana a	on rocult	
*Bleomycin will need to be filled in with suggested dosing in inferior outcomes	g. Any do:	se modili	callons c	an resuit	
APPOINTMENTS:					CX Dates:
Re-admit in 3 weeks for cycle # Days 1 to	5 and boo	k chemo	Days 8 a	ınd 15.	
☐RTC in 3 weeks for cycle # Book chemo	Days 1 to	5, 8 & 1	5.		RTC Date: CX Dates:
☐ Last cycle. RTC in					
					RTC Date:
LABS		I DII -			
Baseline: CBC & Diff, total bilirubin, ALT, alkaline pho potassium, creatinine, calcium, magnesium, randon				hCG	
tumour marker	ii gidoose	, OLA, A	arr, bete	1100	
Before each cycle: CBC & Diff, creatinine, sodium, poglucose, LDH, AFP, beta hCG tumour marker	otassium,	magnes	ium, ran	dom	
Day 5 – Creatinine (if creatinine on Day 1 greater th	an the up	er limit o	of normal	.)	
Day 8 and 15 – Creatinine. (if on Bleomycin)					
☐ Other tests:					
Baseline:					
☐ If clinically indicated: Baseline Audiogram☐ Pre-chemotherapy sperm count and banking if app	ropriato				
Consults:	торпасе				
☐ See general order sheet for additional requests.					
DOCTOR'S SIGNATURE					Signatures
DOCTOR 3 SIGNATURE					Signatures UC:
					RN: