

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at <a href="https://www.bccancer.bc.ca">www.bccancer.bc.ca</a> and according to acceptable standards of care

## PROTOCOL CODE: SMNAPEM

(Page 1 of 1)

DOCTOR'S ORDERS Htcm Wt	kg BSA	m²
REMINDER: Please ensure drug allergies and previous bleomycin are documented on the Allergy & Alert Form		
DATE: To be given:	Cycle #:	
Date of Previous Cycle:		
Delay treatment week(s) May proceed with doses as written if within 96 hours ALT less than or equal to 3 times the upper limit of normal, total bilirubin less than or equal to 1.5 times the upper limit of normal, creatinine less than or equal to 1.5 times the upper limit of normal and less than or equal to 1.5 times the baseline.  Proceed with treatment based on blood work from		
PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm  For prior infusion reaction:  diphenhydrAMINE 50 mg PO 30 minutes prior to treatment  acetaminophen 325 to 975 mg PO 30 minutes prior to treatment  hydrocortisone 25 mg IV 30 minutes prior to treatment		
TREATMENT:		
□ Neoadjuvant phase (Cycles 1 to 3):     pembrolizumab 2 mg/kg x kg = mg (max. 200 mg) every     IV in 50 mL NS over 30 minutes using a 0.2 micron in-line filter	y 3 weeks	
Adjuvant phase (Cycles 4 onward):  pembrolizumab 2 mg/kg x kg = mg (max. 200 mg) every 3 weeks  IV in 50 mL NS over 30 minutes using a 0.2 micron in-line filter  OR  pembrolizumab 4 mg/kg x kg = mg (max. 400 mg) every 6 weeks  IV in 50 mL NS over 30 minutes using a 0.2 micron in-line filter		
RETURN APPOINTMENT ORDERS		
Return in three weeks for Doctor and Cycle Return in week(s) for the post operative visit and Cycle Return in six weeks for Doctor and Cycle  Last cycle. Return in week(s)		
Cycles 1 to 3: CBC & Diff, creatinine, alkaline phosphatase, ALT, total bilirubin, LDH potassium, TSH, random glucose, creatine kinase, morning serum coreach treatment		
Cycles 4 onward:  CBC & Diff, creatinine, alkaline phosphatase, ALT, total bilirubin, LDH potassium, TSH, random glucose, creatine kinase prior to each treatme		
If clinically indicated:   ECG chest x-ray serum HCG or urine HCG – required for woman of childbearing potent Free T3 and free T4 lipase morning serum cortisol serum ACTH levels testosterone estradiol FSH LH troponin Weekly nursing assessment Other consults: See general orders sheet for additional requests.	al	
DOCTOR'S SIGNATURE:		SIGNATURE:
	U	JC: